
UNITED STATES AIR FORCE AF 09510 (January 2005)
CCAFS/PAFB

SECTION TABLE OF CONTENTS

DIVISION 09 - FINISHES

SECTION 09510

ACOUSTICAL CEILINGS

01/05

PART 1 GENERAL

1.1 SUBMITTALS

PART 2 PRODUCTS

2.1 AFFIRMATIVE PROCUREMENT

PART 3 EXECUTION

-- End of Section Table of Contents --

AF 09510 (January 2005)
UNITED STATES AIR FORCE CCAFS/PAFB

SECTION 09510

ACOUSTICAL CEILINGS
01/05

PART 1 GENERAL

NOTE: This specification is to provide inserts into
the NASA Section 09510 ACOUSTICAL CEILINGS calling
out affirmative procurement requirements for
recycled materials in acoustic ceiling tiles.

1.1 SUBMITTALS

NOTE: If SD-03 Product Data already exist in the
Submittal Article, add the submittal items below to
the end of SD-03 Product Data.

If SD-03 Product Data does not exist in the
Submittal Article, insert the entire paragraph
below, including SD-03 Product Data.

SD-03 Product Data

Manufacturer's data shall be submitted indicating percentage of
recycle material in acoustic ceiling tiles to verify affirmative
procurement compliance.

Total weight and volume quantities of acoustic ceiling tiles with
recycle material shall be submitted.

PART 2 PRODUCTS

NOTE: Insert the subpart below as Subpart 2.1 to
describe affirmative procurement requirements.

2.1 AFFIRMATIVE PROCUREMENT

Mineral Wool, Cellulose, and Laminated Paperboard used in acoustic ceiling
tiles are materials listed in the EPA's Comprehensive Procurement
Guidelines (CPG) (<http://www.epa.gov/cpg/>).

EPA's recommended Recovered Materials Content Levels for Mineral Wool,
Cellulose, Structural Fiberboard and Laminated Paperboard are:

Product	Material	Percent Of Post Consumer Materials	Percent Of Total Recovered Materials
Laminated Paperboard	Post Consumer Paper	100	100
Rock Wool	Slag		75
Cellulose	Post Consumer Paper	75	75

The recommended recovered materials content levels are based on the weight (not volume) of materials in the insulating core only.

NOTE: If the Architect/Engineer determines that use of certain materials meeting the CPG content standards and guidelines would result in inadequate competition, do not meet quality/performance specifications, are available at an unreasonable price or are not available within a reasonable time frame, the Architect/Engineer may submit to Contracting Officer a written justification and supporting documentation for not procuring designated items containing recovered material using the Recovered Materials Determination Form.

For informational purposes, a list of known sources for acoustical ceiling tiles using recycled material is provided in the EPA/CPG Supplier database at http://www.ergweb2.com/cpg4review/user/cpg_search.cfm.

Note that the Contractor is not limited to these sources. A product meeting CPG recycle requirements from other sources may be submitted for the Government's approval.

Contractor shall submit recycled material content data for acoustic ceiling tiles indicating compliance with affirmative procurement.

Contractor shall submit total weight and volume quantities of acoustic ceiling tiles with recycle material.

PART 3 EXECUTION

Not Used

-- End of Section --